

QUICK BREAK DEGREASER

INDUSTRIAL QUICK BREAK DEGREASER

Quick Break Degreaser is a highly effective, water-based degreasing solution designed for heavy-duty industrial applications. This concentrated formula is engineered to penetrate and remove stubborn grease, oil, and dirt while breaking emulsions quickly, allowing for easy separation of contaminants from water. It is ideal for use in automotive, machinery, and workshop environments where thorough degreasing is essential. The product is solvent-free and biodegradable, ensuring both high performance and environmental responsibility.



Quick Break Formula: Rapidly destabilizes emulsified grease, allowing easy separation in oil-water systems.



Phosphate-Free: Environmentally responsible, with biodegradable surfactants.



Heavy-Duty Degreasing: Effectively removes grease, oil, and dirt from a variety of surfaces.



Water-Based & Low-Toxicity: Safe for operators and low toxicity, making it suitable for use in various industries.



Solvent-Free: Formulated without solvents, making it safer for users and the environment.




Concentrated: Can be diluted for different cleaning applications.

Environmentally Safe



Cleaning Efficacy



Personal Safety



Transport Safety





PACK SIZES:

Product	Size	Code	
Quick Break Degreaser	10L	1SKQB5	
Quick Break Degreaser	20L	1SKQB6	
Quick Break Degreaser	205L	1SKQB7	
Quick Break Degreaser	1000L	1SKQB8	















QUICK BREAK DEGREASER

INDUSTRIAL QUICK BREAK DEGREASER

DIRECTIONS FOR USE:

Always adjust the dilution rate based on the level of soiling. For heavier grease and dirt, you may use the product undiluted. Ensure to wear appropriate PPE when handling concentrated degreasers and avoid contact with skin and eyes.

Specific Applications

1. Vehicle & Machinery Cleaning:

- Dilution Rate: 100 mL per litre of water (1:9).
- Cleaning Instructions:
 - Dilute the Quick Break Degreaser in a bucket or sprayer.
 - · Apply the diluted solution to the vehicle or machinery using a brush, mop, or sprayer.
 - Allow the product to penetrate the grease and dirt for a few minutes.
 - · Scrub with a brush or mop as needed, then rinse thoroughly with water or use a pressure washer for a more thorough clean.

2. Pressure Cleaning:

- Dilution Rate: 200 mL per litre of water (1:4).
- · Cleaning Instructions:
 - · Add the Quick Break Degreaser to the pressure cleaning system's detergent tank or mix in a container.
 - Apply the solution using the pressure washer to the surfaces that need cleaning.
 - · Allow the product to work for a few minutes, then pressure wash the surface to remove grease, oil, and dirt.
 - · Rinse thoroughly with clean water.

3. Workshop Floors:

- Dilution Rate: 12.5 mL per litre of water (1:80).
- Cleaning Instructions:
 - Dilute the Quick Break Degreaser in a bucket or floor scrubber.
 - Apply the solution using a mop or scrubber to the workshop floor.
 - Allow the product to sit for a few minutes to break down oil and grease.
 - Scrub the floor with a mop or mechanical floor scrubber, then rinse with clean water to remove residues.

4. General Degreasing:

- Dilution Rate: 100 mL per litre of water (1:10).
- Cleaning Instructions:
 - Dilute the Quick Break Degreaser in a bucket or spray bottle.
 - Apply the solution to surfaces requiring degreasing (e.g., tools, equipment, countertops).
 - Let the solution sit for a few minutes to penetrate the grease and dirt.
 - Wipe or scrub the surface clean and rinse with water.

Safe Handling & Storage Instructions

Safety Information:

Quick Break Degreaser is classified with the following hazards:

- Skin Corrosion/Irritation: Category 2
- Serious Eye Damage / Eye Irritation: Category 1

Appropriate personal protective equipment (PPE), such as gloves and eye protection, should be worn during use.

Packaging:

Quick Break Degreaser is available in various packaging sizes to meet industrial and commercial cleaning needs. For handling and storage details, refer to the Safety Data Sheet (SDS).

Technical Data

Appearance:

Orange mobile liquid

pH (neat):

Approx. 11.5 to 12.5

Odour:

Faint characteristic

Specific Gravity @ 20°C:

1.020 - 1.040















QUICK BREAK DEGREASER

INDUSTRIAL QUICK BREAK DEGREASER

DISPOSAL

After using Quick Break Degreaser and the quick-breaking process has separated the oil, grease, and other contaminants from the water, it is important to handle the disposal of the soiled materials responsibly to minimize environmental impact. Here's how you can manage the disposal of these materials:

Method of Disposal for Soiled Materials After Quick-Breaking:

Collection of Oil and Grease:

- Once the oil and grease have been separated from the water, collect the floating or settled oil/grease using oil absorbents, skimmers, or pumps.
- Place the collected oil, grease, and soiled absorbent materials (such as pads or rags) into appropriate containers for disposal.

Disposal of Collected Oil and Grease:

- Hazardous Waste Disposal: The collected oil and grease should be treated as hazardous waste. Arrange for disposal through a licensed waste disposal contractor who is authorized to handle oil and grease waste. Do not dispose of oil/grease waste down drains or into the environment.
- Recycling: In some cases, the collected oil can be recycled or processed for reuse by oil recycling facilities. Check with your local waste management authorities for recycling options.

Wastewater Disposal:

- The water from which the oil and grease have been separated should be treated appropriately. Depending on local regulations, the wastewater may need to be filtered or treated further before it is discharged.
- Permitted Disposal: Dispose of the wastewater in compliance with local environmental regulations. If allowed, the treated water may be discharged into sewer systems.

Soiled Absorbents and Tools:

- · Any tools, rags, or absorbents that have been used to collect oil or grease should be disposed of as hazardous waste.
- Disposal of Absorbent Materials: Place soiled absorbent materials (e.g., pads, cloths) in approved hazardous waste containers. These materials should be disposed of by a licensed waste management service.

Documentation and Compliance:

- Keep records of the disposal of hazardous materials and ensure that all waste disposal is conducted according to local, state, and federal regulations.
- · Ensure that the waste transporter provides you with documentation of proper disposal, such as a waste manifest.

Important Notes:

Do Not Dump: Never dispose of oil-contaminated water, grease, or soiled materials into stormwater drains, soil, or any water body, as this can cause significant environmental harm.

Local Regulations: Always consult local environmental and waste disposal regulations to ensure that your disposal practices are compliant with legal requirements in your area.

By following these steps, you ensure that the use of Quick Break Degreaser is effective while also adhering to responsible waste management practices to protect the environment.

Our Story

Surekleen is an Aboriginal Owned Cleaning Chemical Manufacturer based in Malaga, Western Australia.

As an Aboriginal Business, our mission is to lead with passion & respect, the empowerment and growth of Indigenous People & Business' through the manufacturing of Australia's most innovative & highest quality products.

Your support in purchasing this product is directly, positively impacting Aboriginal people across Australia as we share a percentage of our sales with our traditional land owner partners or organisations that support initiatives in remote Indigenous communities.

Thankyou for your support and for helping us make a positive impact!











